THE TOHOKU JOURNAL OF EXPERIMENTAL MEDICINE

Volume 159

September — December 1989

EDITORIAL BOARD

N. TAIRA (Sendai)
Editor-in-Chief

K. AMAHA (Tokyo)
M. ENDO (Tokyo)
K. HARUMI (Tokyo)
N. HAYASHI (Sendai)
Y. HINUMA (Osaka)
M. HOMMA (Kobe)
M. IKEDA (Kyoto)
M. IMAI (Tokyo)
Y. IWASAKI (Sendai)
T. KISHIMOTO (Osaka)
K. KOGURE (Sendai)
K. MATSUMOTO (Nagasaki)
T. OIKAWA (Yonago)
T. TABIRA (Tokyo)
T. TACHIBANA (Sendai)
K. TADA (Sendai)
T. TAKISHIMA (Sendai)
J. UCHINO (Sapporo)
Y. WADA (Nagoya)
H. WAKASA (Fukushima)

PUBLISHED BY

TOHOKU UNIVERSITY MEDICAL PRESS

SENDAI, JAPAN

CONTENTS

Vol. 159, No. 1, September 1989

Culture and changes in dynamics of proliferation of pulmonary small cell carcinoma cells. *S. Kobayashi, H. Inaba, S. Okada and T. Nakada* 1

Effect of human epidermal growth factor on lung surfactant production in fetal rabbit. *M. Higuchi, H. Hirano and M. Maki* 15

Intracellular compartmentalization of fura-2 dye demonstrated by laser-excitation fluorescence microscopy: A problem in measuring cytosolic free calcium concentration using fura-2 fluorescence in vascular smooth muscle cells. *K. Takeuchi, S. Sato, K. Abe, M. Kimura, T. Abe, K. Yoshinaga and H. Inaba* 23

Factor XIII is not involved in human platelet-collagen interaction. *M. Aihara, Y. Sawada, H. Takami, K. Kariya, I. Kudo, A. Kimura and Y. Yoshida* 37

Clinical study of drug fever induced by parenteral administration of antibiotics. *K. Oizumi, K. Onuma, A. Watanabe and M. Motomiya* 45

Respiratory muscle strength and gas exchange in neuromuscular diseases: Comparison with chronic pulmonary emphysema and idiopathic pulmonary fibrosis. *Y. Nishimura, W. Hida, O. Taguchi, M. Sakurai, M. Ichinose, H. Inoue and T. Takishima* 57

Neurokinin A-induced bronchial hyperresponsiveness to methacholine in Japanese monkeys. *G. Tamura, K. Sakai, Y. Taniguchi, H. Iijima, M. Honma, U. Katsumata, N. Maruyama, T. Aizawa and T. Takishima* 69

Some features of the metastatic cancer cells in prostaglandin production. *I. Nakazawa, M. Iwaizumi and K. Ohuchi* 75

Short Reports

Human left ventricular wall vibration responded to precordial minute vibration. *Y. Koiwa, J. Kikuchi, T. Takagi, H. Honda, N. Hoshi and T. Takishima* 79

Non-invasive adenomatous component in carcinoma of papilla of Vater: An immunohistochemical study of carbohydrate antigen, CA19-9. *H. Yamauchi, A. Nitta, R. Ichinohasama and T. Namiki* 81

Vol. 159, No. 2, October 1989

Liver, kidney and islet cell tumors in spontaneously hypertensive and normotensive rats treated neonatally with streptozotocin. *M. Iwase, K. Nunoi, S. Sadoshima, M. Kikuchi and M. Fujishima* 83

Effect of taurine administration on serum lipid and biliary lipid composition in man. *N. Tanno, S. Oikawa, M. Koizumi, Y. Fujii, S. Hori, N. Suzuki, E. Sakuma, H. Kotake, K. Namai and T. Toyota* 91

Effects of in vitro treatment with 4-hydroperoxycyclophosphamide and hyperthermia on leukemic progenitor cells. *N. Minegishi, M. Minegishi, S. Tsuchiya and T. Konno* 101

Preservation of immature hematopoietic progenitor cells responding to interleukin 3 in marrow treated with 4-hydroperoxycyclophosphamide. *N. Minegishi, M. Minegishi, S. Tsuchiya and T. Konno* 113

Contents and secretion of glucagon and insulin in rat pancreatic islets from the viewpoint of their localization in pancreas. *Y. Tasaka, H. Matsumoto, Y. Inoue and Y. Hirata* 123

Age-related reduction in the number of rabbit erythrocyte Na, K-ATPase. *M. Amano, K. Imataka, K. Suzuki, H. Nakaoka and J. Fujii* 131

Increased hexokinase activity in fetuses of rats developed under maternal hyperglycemia. *Y. Wako, K. Suzuki, A. Isobe and S. Kimura* 139

Identification of benzoylcarnitine in the urine of a patient of hyperammonemia. *T. Sakuma, K. Asai, T. Ichiki, N. Sugiyama, K. Kidouchi and Y. Wada* 147

Effects of acute protein loads of different sources on renal function of patients with diabetic nephropathy. *H. Nakamura, M. Takasawa, S. Kasahara, A. Tsuda, T. Momotsu, S. Ito and A. Shibata* 153

Short Reports

Application of doppler color flow imaging method on the detection of vesicoureteral reflux. *O. Nishizawa, H. Ishida, K. Sugaya, T. Kohama, T. Harada and S. Tsuchida* 163

Determination of 3β-hydroxylated bile acids in human serum and liver tissue. *T. Nagakura, H. Suzuki, Y. Miyazaki, M. Otsuki, J. Goto, T. Nambara and T. Toyota* 165

Effect of left ventricular volume on the magnitude of functional depression by external minute vibration. *Y. Koiwa, N. Hoshi, T. Ohyama, T. Takagi, J. Kikuchi, H. Honda and T. Takishima* 167

The improvement of systolic function of depressed left ventricle by external vibration at diastole. *Y. Koiwa, T. Takagi, J. Kikuchi, H. Honda, N. Hoshi and T. Takishima* 169

Vol. 159, No. 3, November 1989

IL-2 enhancing factor(s) in B cell supernatants from patients with rheumatoid arthritis or systemic lupus erythematosus. *K. Tomura, H. Kang, K. Mitamura, M. Takei, M. Karasaki, S. Koyasu and S. Sawada* 171

The circadian variation of blood pressure and heart rate in patients with hyperthyroidism. *N. Minami, Y. Imai, K. Abe, M. Munakata, T. Sakurada, M. Yamamoto, K. Yoshida, H. Sekino and K. Yoshinaga* 185

Computed tomography, magnetic resonance imaging, positron emission

tomography and evoked potentials at early stage of adrenoleukodystrophy. *K. Iinuma, K. Haginoya, I. Handa, A. Kojima, N. Fueki, J. Aikawa, M. Ito, J. Hatazawa and T. Ido* 195

A study of preservation solution for 48- and 96-hour simple hypothermic storage of canine lung transplants. *M. Handa, S. Fujimura, T. Kondo, T. Ichinose, Y. Shiraishi and T. Nakada* 205

Detection of human papillomavirus type 52b in cervical dysplastic tissue. *N. Yaegashi, H. Yajima, R. Konno, K. Shikano, S. Sato and A. Yajima* 215

Efficacy of absolute ethanol injection method for stress ulcer bleeding after major surgeries. *S. Asaki, T. Nishimura, A. Sato, D. Shibuya, S. Ohara, H. Sato and T. Motogima* 221

Comparison of the efficacy of endoscopic ultrasonography and submucosography in diagnosing the depth of gastric cancer invasion. *S. Asaki, Y. Nakayama, M. Ohara, Y. Hirasawa, N. Kanazawa and K. Ota* 227

Serum tumor necrosis factor-α levels in allogeneic bone marrow transplant recipients with acute leukemia. *M. Hirokawa, H. Takatsu, H. Niitsu, T. Nishinari, T. Nimura, T. Itoh, A. Chubachi, I. Miura, K. Yoshida, Y. Endo and A. B. Miura* 237

Short Reports

Cytofluorometric analysis of nuclear DNA and cell protein in pancreatic carcinoma. *H. Yamauchi, R. Ichinohasama, K. Kakizaki, Y. Yamada and N. Tanaka* 245

Clinical demonstration of vibration-induced depression of left ventricular function. *Y. Koiwa, T. Ohyama, T. Takagi, J. Kikuchi, H. Honda, N. Hoshi and T. Takishima* 247

Vol. 159, No. 4, December 1989

On-line plasma exchange for sepsis in neonates and infants *T. Takahashi, Y. Asanuma, T. Kato, T. Hebiguchi, K. Koyama and K. Kudo* 249

Disorganization process in the development of diabetic nodular glomerulosclerosis *A. Shioi and T. Fujimoto* 257

Mechanisms of β-adrenoceptor mediated increase in delayed rectifier potassium current *T. Iijima and N. Taira* 277

Quantitative measurement of renal plasma flow by positron emission tomography with oxygen-15 water *T. Inaba, M. Yamashita, Y. Kawase, H. Nakahashi and H. Watanabe* 283

Effect of porcine pancreastatin on endocrine function of canine pancreas. *A. Ohneda, F. Koizumi and M. Ohneda* 291

Characterization of resistance to VP-16 in human leukemic cell line. *Y. Saijo, N. Kumano, Y. Tokue, K. Satoh, K. Oizumi and M. Motomiya* 299

A microtestplate-immunofluorescence assay for anti-*Trypanosoma cruzi* anti-

bodies. *N. Takasu, T. Masuko, H. Hojo and Y. Hashimoto* 307

Production and characterization of monoclonal antibodies against *Trypanosoma cruzi*-associated antigens. *N. Takasu, T. Masuko, K. Sugahara and Y. Hashimoto* 313

Relationship between serum free thyroid hormone concentrations and target organ responsiveness in thyroid disease patients before and after treatment. *K. Yoshida, T. Sakurada, K. Kaise, N. Kaise, T. Nomura, Y. Itagaki, M. Yamamoto, S. Saito and K. Yoshinaga* 323

Molecular analysis of the DNA segments cross-hybridizable to the tyrosinase gene in patients affected with oculocutaneous albinism. *A. Takeda, J. Matsunaga, Y. Tomita, H. Tagami and S. Shibahara* 333